



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Dayton, Ohio

Docket No. 7204

Application of

Robin J. Slater et al.

Serial No. 09/020,699

Filed: February 9, 1998

**CLAIM FOR BENEFIT OF
EARLIER-FILED FOREIGN
APPLICATION**

MAR 20 1998

Group Art Unit: Unknown

Examiner: Unknown

**FOR: METHOD AND APPARATUS FOR DETERMINING THE
VALIDITY OF A DATA PROCESSING TRANSACTION**

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Assistant Commissioner for Patents, Washington, D.C. 20231 on MAR 20 1998 (Date of Deposit).

Shirley Doll
Shirley Doll

Assistant Commissioner for Patents

Washington, D.C. 20231

Sir:

Applicants wish to claim the benefit of the filing date of the earlier U.K. Application Serial No. 9710720.5, filed on May 24, 1997, recited in the Declaration under the provision of 35 U.S.C. 119, and accordingly, Applicants submit herewith a certified copy of said British application.

RECEIVED

JUN 16 1998

GROUP 2100

Respectfully submitted,

Michael Chan

Michael Chan
Reg. No. 33,663
Attorney for Applicant(s)

NCR Corporation, Law Department, ECD-2
101 West Schantz Avenue, Dayton, OH 45479-0001
Tel. No. 937-445-4956/Fax No. 937-445-3733

0200
#2
A/W/S
7/21/98

RECEIVED
MAY - 7 98
GROUP 2600

RECEIVED
98 JUN 26 AM 10:27
GROUP 2100

THIS PAGE BLANK (USPTO)



The Patent Office

The Patent Office
Concept House
Cardiff Road
Newport
South Wales
NP9 1RH

RECEIVED

JUN 16 1998


GROUP 2100

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.



Signed

Dated - 3 SEP 1997

CERTIFIED COPY OF
PRIORITY DOCUMENT

RECEIVED
MAR - 7 98
GROUP 2600

RECEIVED
98 JUN 26 AM 10:27
GROUP 2700

THIS PAGE BLANK (USPTO)

24 MAY 1997


27MAY97 E277075-4 D02073
P01/7700 25.00 - 9710720.5

Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)

The Patent Office

Cardiff Road
Newport
Gwent NP9 1RH



1. Your reference

7204

2. Patent application number

(The Patent Office will fill in this part)

9710720.5

3. Full name, address and postcode of the or of each applicant (underline all surnames)

NCR INTERNATIONAL, INC.
1700 SOUTH PATTERSON BOULEVARD
DAYTON, OHIO 45479
UNITED STATES OF AMERICA

Patents ADP number (if you know it)

6105449001

If the applicant is a corporate body, give the country/state of its incorporation

INCORPORATED IN THE STATE OF DELAWARE

4. Title of the invention

METHOD AND APPARATUS FOR DETERMINING THE
VALIDITY OF A DATA PROCESSING TRANSACTION

5. Name of your agent (if you have one)

VIVIEN IRISH

"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)

INTERNATIONAL IP DEPARTMENT
NCR LIMITED
206 MARYLEBONE ROAD
LONDON NW1 6LY

Patents ADP number (if you know it)

7126244001

6. If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number

Country

Priority application number
(if you know it)

Date of filing
(day / month / year)

7. If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application

Number of earlier application

Date of filing
(day / month / year)

8. Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer 'Yes' if:

NO

- a) any applicant named in part 3 is not an inventor, or
 - b) there is an inventor who is not named as an applicant, or
 - c) any named applicant is a corporate body.
- See note (d))

Patents Form 1/77

9. Enter the number of sheets for any of the following items you are filing with this form. Do not count copies of the same document

Continuation sheets of this form

Description	9
Claim(s)	3
Abstract	1
Drawing(s)	4

10. If you are also filing any of the following, state how many against each item.

Priority documents

Translations of priority documents

Statement of inventorship and right to grant of a patent (Patents Form 7/77)

Request for preliminary examination and search (Patents Form 9/77)

Request for substantive examination (Patents Form 10/77)

Any other documents (please specify)

11. I/We request the grant of a patent on the basis of this application.

Signature *Vivien Irish* Date 21/5/97

12. Name and daytime telephone number of person to contact in the United Kingdom VIVIEN IRISH TEL: 0171-725 8448

Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

Notes

- If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500505.
- Write your answers in capital letters using black ink or you may type them.
- If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- If you have answered 'Yes' Patents Form 7/77 will need to be filed.
- Once you have filled in the form you must remember to sign and date it.
- For details of the fee and ways to pay please contact the Patent Office.

**METHOD AND APPARATUS FOR DETERMINING THE VALIDITY
OF A DATA PROCESSING TRANSACTION**

5 The present invention relates to a method and apparatus
for determining the validity of a data processing
transaction. The invention is of particular advantage in
checking the validity of a financial transaction conducted
at an automatic teller machine (ATM) which has a card reader
10 and means to enter a PIN (personal identification number).

It is conventional in an ATM to provide for an
identification card to be entered and the PIN of the
authorised card holder to be checked upon entry by the card
15 holder of the PIN through a keypad of the ATM. If the PIN is
entered incorrectly, the user may be allowed up to 3
attempts, and a failure to enter the correct PIN at this
point may result in the capture of the card by the ATM. A
PIN provides substantial security against fraudulent misuse
20 of a card by an unauthorised user of the card, but the ATM
may still not protect against misuse by an unauthorised user
who may guess the PIN or who may have had access to the PIN.

It is an object of the invention to increase the level
25 of security against fraudulent use of an identification card
in an ATM, for the benefit of the authorised card holder and
the operator of the ATM.

According to one aspect of the present invention, there
30 is provided a method of determining the validity of a
transaction of a data processing system which includes a
manual data entry means, the method including the steps of
receiving a first entry of data through the manual data
entry means, and checking data entered in the first entry
35 against a first stored field of security data, characterized
by the further steps of receiving a second entry of data
through said manual data entry means, and checking the data

entered in the second entry against a second stored field of security data.

According to a second aspect of the present invention,
5 there is provided a data processing system for carrying out a transaction requested by a user of the system, including a data processing unit, manual data entry means, and communication means for communicating information to a user of the system, said communication means being arranged,
10 under the control of said data processing unit, to request a first entry of data from said data entry means, and said data processing unit being arranged to check data entered in response to the first request against a first stored field of security data, characterized in that said communication
15 means is arranged, under the control of said data processing unit, to request a second entry of data from said data entry means, and said data processing unit is arranged to check data entered in response to the second request against a second stored field of security data, the validity of a
20 requested transaction being determined by the results of the checks made of the data entered in response to the first and second requests.

Preferably, one of the entries of data is a PIN, and
25 the other entry of data is data personal to a holder of the card. The personal data may relate, for example, to a date of birth and/or to a telephone number.

The invention will now be described, by way of example,
30 with reference to the accompanying drawings, in which:

Fig. 1 is a perspective view of an ATM according to the present invention;

Fig. 2 shows a block circuit diagram of components
35 included in the ATM of Fig. 1; and

Figs. 3, 4 and 5 are explanatory diagrams relating to the operation of the ATM of Figs. 1 and 2.

In Fig. 1 there is shown an ATM 10 which includes a magnetic card reader slot 12, a visual display device 14 for communicating information to a user of the ATM 10, and a keypad 16. The ATM 10 also includes a cash dispenser slot 18 and a printer slot 20.

Referring now to Fig. 2, the ATM 10 includes a data processing unit 22, a card reader 24 communicating with the slot 12, a cash dispenser 26 communicating with the slot 18, and a printer 30 communicating with the slot 20.

The data processing unit 22 incorporates a memory to register data entered into the ATM 10 by way of the keypad 16 and the card reader 24. The memory also stores programs to enable the processing unit 22 to provide the functions of displaying information to the user of the ATM 10 and to control the various operations required in the functioning of the ATM 10, including, for example, checking the validity of transactions, dispensing cash, or capturing a card entered into the card reader 24, as will be explained.

Upon entry of a user's identification card (magnetic stripe card) into the card reader slot 12, the processing unit 22 causes the display 14 to display a message which requests the user to enter his PIN. The processing unit 22 is also programmed to read magnetically recorded information from the card and to register that information in the memory of the processing unit 22. The information read from the card includes information identifying the authorised holder of the card. The information read from the card also includes the encrypted PIN which is located on one track of the card, and further encrypted personal digital information that is recorded on another track of the card. The personal information is information that has been nominated by the holder of the card and includes a date (e.g. the holder's date of birth) and digits from a telephone number. The

personal information which is nominated consists of digits which may easily be remembered by the authorised holder of the card but would be difficult for a fraudulent user to discover. The telephone number need not be the personal
5 number of the authorised holder but could be any telephone number which the authorised holder can easily remember. The information recorded magnetically on the card can thus be considered to include PIN digits in a first field of security data and personal information digits in a second
10 field of security data. As already indicated, the recording of data on the card is protected by encryption.

Upon entry of a card into the card reader slot 12, which entry serves to initiate a transaction to be requested
15 by the user, the data recorded on the card is read and decrypted. The display 14 is then used to display a request to the card user to enter the PIN through the keypad 16. Following entry of the PIN, the user is requested, by way of the display 14, to enter two or more digits selected from
20 the second field of security data on the card. The digits which are requested may be in a specific order which may not be sequential; for example the request may be for the third and first digits of the nominated telephone number in that order. The processing unit 22 is programmed to record which
25 digits from the second field are requested of the card user.

Upon a subsequent use of the card, the procedure of checking is undertaken as before but the digits which are requested from the second field of security data are
30 different. For example, for one time of use of the card, two digits are requested from the telephone number, while on a the next occasion the digits may be requested from the date of birth. The purpose of recording which digits have been requested of the card user is to enable the processing unit
35 22 to change the request following each occasion of use of the card. The processing unit 22 is programmed to initiate a series of requests for different selections of digits from

the second field of data. Thus the digits from the date of birth may on one occasion represent the day of birth, the digits on a second occasion may represent the month of birth and the digits on a third occasion may represent the year of birth. On further occasions the digits may be requested at random from the telephone number.

If the user correctly enters data in response to both requests for entry of data, then the user is permitted to proceed with a transaction requested by the user at the ATM 10, such as the withdrawal of cash.

The processing unit 22 is programmed to ascertain, from an incorrect entry of requested digits, how closely the actual entry is to the correct entry. The response of the processing unit 22 is thereby made variable in dependence upon the entry of digits through the keypad 16. If the response to a request for the PIN and two digits of personal data is incorrect, the processor 22 is programmed to initiate a further request. The further request may depend on the degree of accuracy of the response to the first request. The next request may include a demand for further digits of personal information to discriminate between a legitimate user who made a simple keying error and a fraudulent user who is guessing at the correct entry and needs to be checked further.

A failure to make a correct entry in response to some requests initiated by the processing unit 22 causes the processing unit 22 to terminate the transaction process and to control the card reader 24 to capture the card. Such a request is referred to herein as a final request. A final request may be presented to the user after one or more previous failed attempts at entry of digits through the keypad 16. If a second failed attempt is close enough to the correct entry that the user may still be regarded as possibly the legitimate user, a further attempt may be

allowed. A failed attempt at a final request will result in a requirement for full validation. Full validation involves termination of the transaction process, capture of the card, and notification to the user and to the bank that there is a potential illegal use of the card which may be resolved by the bank or the user demonstrating that the user is genuine but has been unable to make a correct keypad entry for some valid reason.

10 A final request may occur after one previous failed attempt if the failed attempt is so far from a correct entry that the user is likely to be guessing the correct entry. A final request may be presented after two previous failed attempts provided the previous attempts are close enough to
15 the correct entry to justify a third attempt.

To illustrate a suitable hierarchy of requests in the ATM 10, reference will now be made to Figs. 3, 4 and 5. Referring first to Fig. 3, a first request, Request 1 in the
20 diagram, requires an input of the PIN and a data input D0. The data input may be selected from a date of birth represented, for example, as 12 02 65 for a date of 12 February 1965. Thus D0 could be the digits 1 and 2, a second data input D1 could be the digits 0 and 2 and a third data
25 input D2 could be the digits 6 and 5. A successful entry of the PIN or a personal data input is represented in the diagram by Y while an unsuccessful input is represented by N. If the entry of the PIN and the digits D0 was fully successful, the entry is represented by Y + Y as shown in
30 the diagram. A fully successful entry results in the transaction being permitted to proceed and the data processing unit 22 records that the data field D0 was requested to be entered by the user.

35 If the response to the first request was only partly successful, as indicated by Y for the PIN and N for the data D0, a second level check is performed to determine if the

incorrect entry D0 had the digits transposed or had digits equal to D1 or D2. For the hierarchy of requests illustrated in Fig. 3, it is assumed that the second level check had an affirmative result. Thus, the card holder made a correct entry of the PIN and so could be genuine, and the nature of the incorrect entry for D0 may also indicate this. To determine if the cardholder was confused with the date field, the second request is for the PIN and the full date of birth D0, D1 and D2. If the entry to the second request is fully successful, as indicated by Y + Y + Y + Y, the transaction is permitted to proceed and the data processing unit 22 records that the data fields D0, D1 and D2 were requested to be entered by the user.

If the entry to the second request was only partly successful and only one error was made, this is indicated by 3Y + N. In this event, the user is allowed a further attempt and is subject to Request 3 in which the user is requested to enter the PIN, the digits D0, D1, D2 and all the digits of the telephone number, P. A fully successful response to the third request, all Y, results in the transaction being permitted to proceed. If any of the data entries for the third request is wrong, any N, then full validation is required, which involves termination of the transaction.

If the attempt at the second request is to make two or more errors, 2Y + 2N or 1Y + 3N or 4N, the indication is that the use is likely to be invalid with the user guessing numbers. The result is to initiate a full validation procedure.

Turning now to Fig. 4, the attempt at the first request (for PIN and D0) is Y + N or N + Y. If the attempt is Y + N (PIN correct but D0 incorrect), it is assumed that a second level check indicates that the digits of D0 were not transposed and are not equal to D1 or D2. On this occasion, the second request is for the entry of the PIN, the digits

D0 and two sets of telephone digits PX and PY (where PX and PY were not used in the previous transaction). If the attempt at the second request is fully correct as indicated by 4Y, the transaction is allowed to proceed and the processing unit 22 records that the data fields D0, PX and PY were used. If the attempt at the second request involves one error and that error is not in the data field D0, the user may be regarded as probably an authorised user and a third request is made for the PIN, the digits D0 and all the telephone number digits. If the result of that third request is fully correct, the transaction is permitted to proceed, but if any further error is made, a full validation procedure is initiated.

If the attempt made in response to the second request involves one error and that error is in D0, a third request is for the PIN, and the digits D0, D1, D2, PX and PY. If the result of this third request is fully correct, the transaction is permitted to proceed, but any error will result in a full validation procedure being initiated.

If the attempt made in response to the second request involves more than one error, the indication is of a high probability of an invalid transaction and accordingly a full validation procedure ensues.

In the hierarchy of requests shown in Figure 4, the attempt at the first request may involve an incorrect PIN and a correct entry D0 (shown as N + y). This could indicate that the user may be someone who knows the date of birth but not the PIN. In this case the second and third requests in the hierarchy are the same as before, and the second request is seeking to check on a user who may know the date of birth but not the telephone number.

Turning now to Fig. 5, the first attempt is shown as being incorrect in relation to both the PIN and the digits

D0. In this case the second request is for the PIN, and the digits D0, D1 and D2. If the second attempt is correct, the transaction is permitted to proceed. If the second attempt is correct as regards the PIN but involves an error in the digits D1 or D2, a third request is made for the PIN, the digits D0, D1, D2 and all the telephone digits P. A successful attempt at the third request will result in the transaction being permitted to proceed, but any digits in error will result in a full validation procedure being initiated.

If the attempt at the second request is to make an error in the PIN or in the digits D0, then a full validation procedure is immediately initiated. An attempt at the second request which results in making more than one error also results in a full validation procedure being initiated.

It will be appreciated that if, despite the enhanced level of security resulting from the procedures according to the present invention, a fraudulent transaction nevertheless takes place, this indicates that the perpetrator of the fraud knew more about the card holder than just the PIN. Thus, it should be easier to track down the perpetrator of the fraud than would have been the case if only possession of the card and knowledge of the PIN were required. For example, the perpetrator of the fraud could be a member of the card holder's family.

It should be understood that in alternative systems in accordance with the invention the PIN and/or the personal information for each user could be stored in a host computer, to which the processing unit 22 is connected, instead of on the user's identification card.

CLAIMS:

1. A method of determining the validity of a transaction of a data processing system which includes a manual data entry means, the method including the steps of receiving a first entry of data through said manual data entry means, and checking data entered in the first entry against a first stored field of security data, characterized by the further steps of receiving a second entry of data through said manual data entry means, and checking the data entered in the second entry against a second stored field of security data.
2. A method according to claim 1, characterized in that the result of the checking of the data entries is displayed after receiving the second data entry.
3. A method according to either claim 1 or claim 2, characterized in that a transaction is initiated by a user entering an identification card in a card reader (24) of the system, and in that one of the entries of data is a PIN and the other entry of data is data personal to the authorised holder of the card.
4. A method according to claim 3, characterized in that at least one of said stored fields of security data is stored on said identification card and is read by said card reader (24).
5. A data processing system for carrying out a transaction requested by a user of the system, including a data processing unit (22), manual data entry means (16), and communication means (14) for communicating information to a user of the system, said communication means being arranged, under the control of said data processing unit, to request a first entry of data from said data entry means, and said data processing unit (22) being arranged to check data

entered in response to the first request against a first stored field of security data, characterized in that said communication means (14) is arranged, under the control of said data processing unit (22), to request a second entry of data from said data entry means, and said data processing unit (22) is arranged to check data entered in response to the second request against a second stored field of security data, the validity of a requested transaction being determined by the results of the checks made of the data entered in response to the first and second requests.

6. A data processing system according to claim 5, characterized in that said communication means is formed by visual display means (14) which is arranged to display the result of checking the data entries.

7. A data processing system according to either claim 5 or claim 6, characterized in that said data processing unit (22) is arranged to respond to an incorrect entry of data by causing said communication means (14) to make one or more further requests for data to be entered through said data entry means (16), and is arranged to check the data entered in response to the further request or requests against stored security data.

8. A data processing system according to claim 7, characterized in that the nature of a further request for data is determined by the nature of the error or errors in the data previously received from said data entry means (16).

9. A data processing system according to any one of claims 5 to 8, characterized by a card reader (24) arranged to read data from an identification card inserted by a user of the system in said card reader for the purpose of initiating a transaction.

10. A data processing system according to claims 8 and 9, characterized in that the further requests include requests which are final requests, said data processing unit 5 (22) being arranged to cause said card reader (24) to capture the user's identification card in response to an error in the data received in response to a final request.

11. A data processing system according to either claim 10 9 or claim 10, characterized in that said card reader (24) is arranged to read at least one of said stored fields of security data from said identification card.

15 12. A data processing system according to any one of claims 5 to 11, characterized in that said data processing unit (22) is arranged to keep a record of the requested second entry of data.

**METHOD AND APPARATUS FOR DETERMINING THE VALIDITY
OF A DATA PROCESSING TRANSACTION**

5 Abstract

The present invention relates to determining the validity of a transaction of a data processing system such as the validity of a financial transaction carried out at an automatic teller machine (10) which has a magnetic card reader. In addition to the entry of a PIN, a user of the system is requested to enter personal information that has been nominated by the user and may consist of a date of birth and a telephone number. A keypad (16) allows the user to enter the PIN. The user is also requested to enter digits from the personal information to be checked against stored security data so that the level of security can be enhanced. A data processing unit of the system is programmed to cause further requests for digits from the personal information in the event that errors are made in the data entry.

THIS PAGE BLANK (USPTO)

1/4

10




FIG. 1




FIG. 2

THIS PAGE BLANK (USPTO)

REQUEST 1	SUCCESS	RESULT	REQUEST 2	SUCCESS	RESULT	REQUEST 3	SUCCESS	RESULT
PIN +D0	Y + Y	PROCEED						
	Y + N		PIN +D0 +D1 +D2	Y +Y +Y +Y	PROCEED			
				3Y +N		PIN +D0 +D1 +D2 + all P	all Y	PROCEED
				2Y + 2N 1Y + 3N 4N	VALIDATE		any N	VALIDATE

FIG. 3

THIS PAGE BLANK (USPTO)

REQUEST 1	SUCCESS	REQUEST 2	SUCCESS	RESULT	REQUEST 3	SUCCESS	RESULT
PIN	Y + N	PIN	4Y	PROCEED			
+D0	N + Y	+D0					
		+PX					
		+PY					
			Y+Y+Y+N		PIN	all Y	PROCEED
			Y+Y+N+Y		+D0		
			N+Y+Y+Y		+(all P)	any N	VALIDATE
			Y+N+Y+Y		PIN	all Y	PROCEED
					+D0		
					+D1		
					+D2		
					+PX		
					+PY	any N	VALIDATE
			2Y + 2N				
			1Y + 3N	VALIDATE			
			4N				

FIG. 4

THIS PAGE BLANK (USPTO)

REQUEST 1	SUCCESS	REQUEST 2	SUCCESS	RESULT	REQUEST 3	SUCCESS	RESULT
PIN +D0	N + N	PIN +D0 +D1 +D2	4Y	PROCEED			
			Y+Y+Y+N Y+Y+N+Y		PIN +D0 +D1 +D2 + all P	all Y	PROCEED
						any N	VALIDATE
			N+Y+Y+Y Y+N+Y+Y 2Y + 2N 1Y + 3N 4N	VALIDATE			

FIG. 5

THIS PAGE BLANK (USPTO)